



March 12, 1999

FILE: DOE-3A

Chris Smith
Environmental/Chemical Engineer
Water Quality Program
Department of Ecology
Northwest Regional Office
3190 160th Avenue S.E.
Bellevue, WA 98008-5452

Dear Chris,

Attached are the Discharge Monitoring Reports for our Seattle facility, permit number WA-0002232, for January 1999.

Please call if you have any questions.

A handwritten signature in cursive script, appearing to read 'Russ Simonson'.

Russ Simonson
Environmental / Process Engineer

enclosures:
- DMRs

cf:
Greg Wingard
c/o Waste Action Project
P.O. Box 4832
Seattle, WA 98104



PERMITTEE NAME/ADDRESS:

Name: Lafarge Corporation
 Address: 5400 W. Marginal Way
 Seattle, WA 98106

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

WA-0002232
 PERMIT NUMBER

001
 DISCHARGE NUMBER

FORM APPROVED

OMB No. 2040-0004

Discharge Location
 Lat 47° 33' 30" N
 Long 122° 20' 68" W
 NO DISCHARGE

Facility: Same As Above

Location: Same As Above

MONITORING PERIOD

FROM 1/1/99 TO 1/31/99

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) (46-53)	Quantity or (54-61)	Loading	(4 Card Only) (38-45)	Quality or (46-53)	Concentration (54-61)	Unit	NO. EX (62-63)	Frequency of analysis (64-68)	Sample Type (69-70)
		Average	Maximum	Unit	Minimum	Average	Maximum				
TSS	SAMPLE MEASUREMENT	—	—	—	—	—	78	mg/L	0	1/30	Grab
	PERMIT REQUIREMENT	—	—	—	—	—	50			1/30	GRAB
pH	SAMPLE MEASUREMENT	—	—	—	—	—	—	STD	0	1/30	Grab
	PERMIT REQUIREMENT	—	—	—	6.0	—	9.0			1/30	GRAB
OIL & GREASE	SAMPLE MEASUREMENT	—	—	—	—	—	—	mg/L	0	1/30	Grab
	PERMIT REQUIREMENT	—	—	—	—	—	10			1/30	GRAB
TURBIDITY OF EFFLUENT	SAMPLE MEASUREMENT	—	—	—	—	—	—	NTU	0	1/30	Grab
	PERMIT REQUIREMENT	—	—	—	—	109	270			1/30	GRAB
TURBIDITY OF BACKGROUND	SAMPLE MEASUREMENT	—	—	—	—	—	—	NTU	NA	1/30	Grab
	PERMIT REQUIREMENT	—	—	—	—	—	REPORT			1/30	GRAB
DIFFERENCE OVER BACKGROUND TURBIDITY	SAMPLE MEASUREMENT	—	—	—	—	—	—	mg/L	0	1/30	Grab
	PERMIT REQUIREMENT	—	—	—	—	—	REPORT			1/30	GRAB
TOTAL RECOVERABLE COPPER	SAMPLE MEASUREMENT	—	—	—	—	—	—	mg/L	0	4/yr	Grab
	PERMIT REQUIREMENT	—	—	—	—	—	REPORT			4/YR	GRAB
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 USC 1001 AND 33 USC 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 3 YEARS.)						TELEPHONE		DATE	
Russ Simonson, Environmental Engineer								(206) 937-8025		12/03/99	
TYPED OR PRINTED								AREA CODE NUMBER		DAY MO YEAR	

COMMENT AND EXPLANATION OF ANY VIOLATIONS

(Reference all attachments here)

* TURBIDITY SHALL NOT EXCEED 10 NTU OVER BACKGROUND WHEN BACKGROUND IS 50 NTU OR LESS, AND SHALL NOT EXCEED BACKGROUND BY MORE THAN 20% WHEN BACKGROUND IS GREATER THAN 50 NTU.

PERMITTEE NAME/ADDRESS:

Name: Lafarge Corporation
Address: 5400 W. Marginal Way
Seattle, WA 98106

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

WA-0002232
PERMIT NUMBER

001
DISCHARGE NUMBER

FORM APPROVED

OMB No.2040-0004

Discharge Location
Lat 47° 33' 30" N
Long 122° 20' 68" W

NO DISCHARGE



Facility: Same As Above

Location: Same As Above

MONITORING PERIOD			
FROM	1/1/99	TO	1/31/99

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) (46-53)	Quantity or (54-61)	Loading	(4 Card Only) (38-45)	Quality or (46-53)	Concentration (54-61)	mg/L	NO. EX (62-63)	Frequency of analysis (64-68)	Sample Type (69-70)							
		Average	Maximum	Unit	Minimum	Average	Maximum											
TOTAL RECOVERABLE LEAD	SAMPLE MEASUREMENT	—	—	—	—	—	—	mg/L	0	4/yr	Grab							
	PERMIT REQUIREMENT	—	—	—	—	—	REPORT			4/YR	GRAB							
TOTAL RECOVERABLE ZINC	SAMPLE MEASUREMENT	—	—	—	—	—	—	mg/L	0	4/yr	Grab							
	PERMIT REQUIREMENT	—	—	—	—	—	REPORT			4/YR	GRAB							
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 USC 1001 AND 33 USC, 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)							TELEPHONE		DATE							
Russ Simonson, Environmental Engineer									(206) 937-8025		12/03/99							
TYPED OR PRINTED									AREA CODE NUMBER		DAY MO YEAR							
COMMENT AND EXPLANATION OF ANY VIOLATIONS		(Reference all attachments here)																

* TURBIDITY SHALL NOT EXCEED 10 NTU OVER BACKGROUND WHEN BACKGROUND IS 30 NTU OR LESS, AND SHALL NOT EXCEED BACKGROUND BY MORE THAN 10% WHEN BACKGROUND IS GREATER THAN 30 NTU.

PERMITTEE NAME/ADDRESS:

Name: Lafarge Corporation
 Address: 5400 W. Marginal Way
 Seattle, WA 98106

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

WA-0002232
 PERMIT NUMBER

004
 DISCHARGE NUMBER

FORM APPROVED

OMB No. 2040-0004

Discharge Location
 Lat 47° 33' 18" N
 Long 122° 20' 40" W

NO DISCHARGE

✓

Facility: Same As Above

Location: Same As Above

MONITORING PERIOD

FROM 1/1/99 TO 1/31/99

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) (46-53)	Quantity or (54-61)	Loading	(4 Card Only) (38-45)	Quality or (46-53)	Concentration (54-61)	Unit	NO. EX (62-63)	Frequency of analysis (64-68)	Sample Type (69-70)	
		Average	Maximum	Unit	Minimum	Average	Maximum					
TSS	SAMPLE MEASUREMENT	—	—	—	—	—	—	mg/L	0		Grab	
	PERMIT REQUIREMENT	—	—	—	—	—	50			1/30	GRAB	
pH	SAMPLE MEASUREMENT	—	—	—	—	—	—	STD	0	1/30	Grab	
	PERMIT REQUIREMENT	—	—	—	6.0	—	9.0			1/30	GRAB	
OIL & GREASE	SAMPLE MEASUREMENT	—	—	—	—	—	—	mg/L	0	1/30	Grab	
	PERMIT REQUIREMENT	—	—	—	—	—	10			1/30	GRAB	
TURBIDITY OF EFFLUENT	SAMPLE MEASUREMENT	—	—	—	—	—	—	NTU	0	1/30	Grab	
	PERMIT REQUIREMENT	—	—	—	—	109	270			1/30	GRAB	
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 16 USC 1001 AND 13 USC 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)							TELEPHONE		DATE	
Russ Simonson, Environmental Engineer									(206) 937-8025		12/03/99	
TYPED OR PRINTED									AREA CODE NUMBER		DAY MO YEAR	

SIGNATURE OF PRINCIPAL EXECUTIVE
 OFFICER OR AUTHORIZED AGENT

COMMENT AND EXPLANATION OF ANY VIOLATIONS

(Reference all attachments here)

* TURBIDITY SHALL NOT EXCEED 10 NTU OVER BACKGROUND WHEN BACKGROUND IS 50 NTU OR LESS, AND SHALL NOT EXCEED BACKGROUND BY MORE THAN 20% WHEN BACKGROUND IS GREATER THAN 50 NTU.

PERMITTEE NAME/ADDRESS:

Name: Lafarge Corporation
 Address: 5400 W. Marginal Way
 Seattle, WA 98106

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

WA-0002232
 PERMIT NUMBER

008
 DISCHARGE NUMBER

FORM APPROVED

OMB No. 2040-0004

Discharge Location
 Lat 47° 33' 13" N
 Long 122° 20' 45" W

NO DISCHARGE

Facility: Same As Above

Location: Same As Above

MONITORING PERIOD

FROM 1/1/99 TO 1/31/99

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT PERMIT REQUIREMENT	(3 Card Only) (48-53)	Quantity or (54-61)	Loading	(4 Card Only) (38-45)	Quality or (48-53)	Concentration (54-61)	Unit	NO. EX (62-63)	Frequency of analysis (64-68)	Sample Type (69-70)
		Average	Maximum	Unit	Minimum	Average	Maximum				
TSS	SAMPLE MEASUREMENT	—	—	—	—	—	200	mg/L	1		Grab
	PERMIT REQUIREMENT	—	—	—	—	—	50			1/30	GRAB
pH	SAMPLE MEASUREMENT	—	—	—	10	—	10.13	STD	1	1/30	Grab
	PERMIT REQUIREMENT	—	—	—	6.0	—	9.0			1/30	GRAB
OIL & GREASE	SAMPLE MEASUREMENT	—	—	—	—	—	13	mg/L	1	1/30	Gab
	PERMIT REQUIREMENT	—	—	—	—	—	10			1/30	GRAB
TURBIDITY OF EFFLUENT	SAMPLE MEASUREMENT	—	—	—	—	100	100	NTU	0	1/30	Grab
	PERMIT REQUIREMENT	—	—	—	—	109	270			1/30	GRAB
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 USC 1001 AND 33 USC 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 3 YEARS.)						TELEPHONE		DATE	
Russ Simonson, Environmental Engineer								(206) 937-8025		12/03/99	
TYPED OR PRINTED								AREA CODE NUMBER		DAY MO YEAR	

COMMENT AND EXPLANATION OF ANY VIOLATIONS

(Reference all attachments here)

* TURBIDITY SHALL NOT EXCEED 10 NTU OVER BACKGROUND WHEN BACKGROUND IS 50 NTU OR LESS, AND SHALL NOT EXCEED BACKGROUND BY MORE THAN 20% WHEN BACKGROUND IS GREATER THAN 50 NTU.